L Number	Hits	Search Text	DB	Time stamp
1	1814	(auxiliary with cable).ab.	USPAT;	2003/12/19 09:33
			US-PGPUB;	
]	1		EPO; JPO;	
			DERWENT;	
		/	IBM_TDB	2002/12/10 00:22
2	2	(auxiliary with ATA).ab.	USPAT;	2003/12/19 09:32
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
3	233405	(auxiliary with cable wit standard).ab.	USPAT;	2003/12/19 09:34
	255405	(adxiiialy with cable wit Beandard, ab.	US-PGPUB;	2003/12/15 05.54
			EPO; JPO;	
			DERWENT;	
1			IBM TDB	
4	12	(auxiliary with cable with standard).ab.	USPAT;	2003/12/19 09:41
-		("""" """ """ """ """ """" """" """" """"	US-PGPUB;	2003, 12, 13
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
5	3	(auxiliary with cable same standard same	USPAT;	2003/12/19 09:43
		devices).ab.	US-PGPUB;	, -,
			EPO; JPO;	
			DERWENT;	
1	1		IBM TDB	
6	2	((non near2 standard) with cable with	USPAT;	2003/12/19 09:45
		devices)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
7	6	((non near2 standard) with cable same	USPAT;	2003/12/19 09:48
		devices)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
8	125	((non near2 standard) with cable)	USPAT;	2003/12/19 09:48
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
9	25	((non near2 standard) with cable same	USPAT;	2003/12/19 10:01
		control\$6)	US-PGPUB;	
	i		EPO; JPO;	
		· · · · · · · · · · · · · · · · · · ·	DERWENT;	
10	345	/ (non moon) abandond)th dotact1	IBM_TDB	2002/10/10 10 21
1 10	345	((non near2 standard) with device\$1).ab.	USPAT;	2003/12/19 10:21
).ab.	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
11	345	((non near2 standard) with device\$1	USPAT;	2003/12/19 10:01
		same standard).ab.	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
12	1	(((non near2 standard) with device\$1	USPAT;	2003/12/19 10:02
	_).ab.) & ATA	US-PGPUB;	
		, . 	EPO; JPO;	
			DERWENT;	
	†		IBM TDB	
13	19	(((non near2 standard) with device\$1	USPAT;	2003/12/19 10:02
).ab.) & cable	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
]	İ		IBM_TDB	
14	79	((non near2 standard) near2 device\$1).ab.	USPAT;	2003/12/19 10:22
<u> </u>			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	

15	17	((non near2 standard) near2 device\$1 with	USPAT;	2003/12/19 10:22
15	17	control\$6).ab.	US-PGPUB;	2003/12/13 10.22
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	0000/10/10 14 01
-	0	(hashcode with valua same bytecode).ab.	USPAT;	2003/12/18 14:01
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	119	(717/118).CCLS.	USPĀT;	2003/12/18 14:02
			US-PGPUB;	
	:		EPO; JPO;	
			DERWENT; IBM TDB	
_	10	((717/118).CCLS.) & bytecode with value	USPAT;	2003/12/18 14:35
		((, _,,o, , oo_o, , , a a	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		//RATI/110) GGT 0) 6 harboards with walls came	IBM_TDB	2002/12/10 14:05
-	1	((717/118).CCLS.) & bytecode with value same hash\$6	USPAT; US-PGPUB;	2003/12/18 14:05
		inaniyo	EPO; JPO;	
		,	DERWENT;	
			IBM_TDB	
-	1	((717/118).CCLS.) & bytecode same hash\$6	USPAT;	2003/12/18 14:05
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	0	(java with hash with code same	USPAT;	2003/12/18 14:35
	_	value\$1).ab.	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	1	(java with hagh with godo / / haghgodo	<pre>IBM_TDB USPAT;</pre>	2003/12/18 14:36
-	_	(java with hash with code ((hashcode with valua same bytecode).ab.)).ab.	US-PGPUB;	2003/12/18 14:36
		with variat bank by cocoac, ab.,, ab.	EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
-	1	(java with hash with code).ab.	USPAT;	2003/12/18 14:36
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	2	(java with hash with code with value\$1)	USPAT;	2003/12/18 14:37
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
-	0	(java with hash with (byte near2 code)	USPAT;	2003/12/18 14:37
)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	1	(java with hash same (byte near2 code)	IBM_TDB USPAT;	2003/12/18 14:38
)	US-PGPUB;	, 35, 10 11.50
			EPO; JPO;	
			DERWENT;	
	_	/ dama hash / hash	IBM_TDB	2002/12/10 14 20
-	3	(java same hash same (byte near2 code))	USPAT; US-PGPUB;	2003/12/18 14:38
		code, ,	EPO; JPO;	
1			DERWENT;	
			IBM_TDB	
-	227	(709/1).CCLS.	USPAT;	2003/12/18 14:40
1			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
L	L	<u> </u>	·	·

				1 0 0 0 0 / 1 0 / 1 0 1 1
-	0	((709/1).CCLS.) & hashcode	USPAT;	2003/12/18 14:41
			US-PGPUB;	
			<pre>EPO; JPO; DERWENT;</pre>	
			IBM TDB	
_	2	((709/1).CCLS.) & hash near2 code	USPAT;	2003/12/18 14:42
	_	((//03/1/:0020:// w masii maazi oodo	US-PGPUB;	2003, 12, 10 21.12
			EPO; JPO;	
			DERWENT;	
			IBM TDB	1
_	0	((byte near2 code) with (java near2	USPAT;	2003/12/18 15:51
		objec))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	9	(non-standard with cable).ab.	USPAT;	2003/12/19 09:32
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	125	(television same standard with cable).ab.	IBM_TDB	2002/12/10 16 14
-	125	(cerevision same standard with Cable).ab.	USPAT; US-PGPUB;	2003/12/18 16:14
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	99	(television with standard with cable).ab.	USPAT;	2003/12/18 16:14
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	26	(television with standard with cable same	USPĀT;	2003/12/18 16:14
		select\$3).ab.	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	15	(non-standard same cable).ab.	USPAT;	2003/12/18 16:19
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_	12	(non-standard with cable) same select\$3	USPAT;	2003/12/18 16:24
		(non beandard wren cable) bame bereety	US-PGPUB;	2003/12/10 10:24
			EPO; JPO;	İ
			DERWENT;	
	··· — .		IBM TDB	
***	- 32	(non-standard & cable).ab.	USPAT;	2003/12/18 16:32
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		1 / /	IBM_TDB	
-	13	((non near2 standard) with cable).ab.	USPAT;	2003/12/18 16:34
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
-	20	((non near2 standard) same cable).ab.	USPAT;	2003/12/19 09:44
		(US-PGPUB;	2003/ 12/13 03:44
			EPO; JPO;	
1			DERWENT;	
			IBM TDB	
-	1	((non near2 standard) with control\$3 &	USPAT;	2003/12/18 16:42
		cable).ab.	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	300	((non near2 standard) with control\$3	USPAT;	2003/12/18 16:42
).ab.	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
L	L		IBM_TDB	

Search History 12/19/03 10:48:43 AM Page 3

	34	((non near2 standard) with control\$3 same	LUCDATE.	2003/12/18 17:01
1 -	24			2003/12/10 1/:UI
1		cable)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	ļ
			IBM_TDB	
-	0	((non near2 standard) same IDE).ab.	1 ' 1	2003/12/18 17:02
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	((non near2 standard) & IDE).ab.	USPAT; 2	2003/12/18 17:02
			US-PGPUB;	
1			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	3	((non near2 standard) with IDE)		2003/12/18 17:04
		, ,	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	12	((non near2 standard) same IDE)		2003/12/18 17:08
	12	\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	US-PGPUB;	2003/12/10 17:08
			EPO; JPO;	
			DERWENT;	l l
	10	((non near2 standard) same ATA)	IBM_TDB	2002/12/19 17:10
-	10	((non near2 standard) same ATA)		2003/12/18 17:10
			US-PGPUB;	1
			EPO; JPO;	1
			DERWENT;	
		/ ama	IBM_TDB	0000/10/10 10 15
-	25	(ATA with side).ab.		2003/12/18 17:10
			US-PGPUB;	
	1		EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
-	3	(ATA with side with band).ab.		2003/12/18 17:11
			US-PGPUB;	
1			EPO; JPO;	
			DERWENT;	
	1		IBM_TDB	
-	4	(ATA with side with band)		2003/12/18 17:11
	Į.		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	,	-	IBM_TDB	

L Number	Hits	Search Text	DB	Time stamp
-	0	((hash near2 code) same (byte near2 code)	USPAT;	2003/12/19 11:31
		same jave).ab.	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		// hash associated and / hash associated	IBM_TDB	2002/12/10 10 50
-	0	((hash near2 code) same (byte near2 code)	USPAT;	2003/12/19 10:59
		same java).ab.	US-PGPUB; EPO; JPO;	1
			DERWENT;	
			IBM TDB	
_	227	(709/1).CCLS.	USPAT:	2003/12/19 11:00
		(100) = 100000	US-PGPUB;	
			EPO; JPO;	
1			DERWENT;	
			IBM_TDB	
-	1	((hash near2 code) same (byte near2 code)	USPAT;	2003/12/19 11:11
).ab.	US-PGPUB;	1
			EPO; JPO;	
į l	!		DERWENT;	
			IBM_TDB	
-	1	((hash with code) same (byte near2 code)	USPAT;	2003/12/19 11:12
).ab.	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	1	((hash with code) & (byte near2 code)	IBM_TDB USPAT;	2003/12/19 11:10
_	*).ab.	USPAT; US-PGPUB;	2003/12/13 11:10
		, .ab.	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	8	((hash near2 code) with (byte near2	USPAT;	2003/12/19 11:11
		code))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	((hash near2 code) with (byte near2	USPAT;	2003/12/19 11:11
		code))& java	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	0	((hash near2 code) same jave).ab.	IBM_TDB	2003/12/19 11:12
-		(hash hearz code) same jave, ab.	USPAT; US-PGPUB;	2003/12/19 11:12
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	1	((hash near2 code) same java).ab.	USPAT;	2003/12/19 11:12
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	((hash with code) same java).ab.	USPAT;	2003/12/19 11:13
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	0	(((hash with code) same java).ab.) &	IBM_TDB USPAT;	2003/12/19 11:13
_		(byte near2 code)	US-PGPUB;	2003/12/13 11:13
		(Systemouth code)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	(((hash with code) same java).ab.) & (USPAT;	2003/12/19 11:13
		virtual near2 machine)	US-PGPUB;	
		,	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	15	((hash with code) same java same	USPAT;	2003/12/19 11:31
		(virtual near machine))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
L	L	<u> </u>	IBM_TDB	<u> </u>

-	0	((hash\$6 with code) same (byte near2	USPAT;	2003/12/19 11:32
		code) same jave).ab.	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	1		IBM_TDB	
₁ -	1	((hash\$6 with code) same (byte near2	USPAT;	2003/12/19 11:33
		code) same java).ab.	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	((hash\$6 with code) same (byte near2	USPAT;	2003/12/19 11:33
		code)).ab.	US-PGPUB;	
			EPO; JPO;	
	•		DERWENT;	
	_		IBM_TDB	
-	2	(hash\$6 same (byte near2 code)).ab.	USPAT;	2003/12/19 11:33
			US-PGPUB;	
			EPO; JPO;	1
			DERWENT;	
		// hasheeish sada)ish / hsa maana	IBM_TDB	2002/12/12 11 24
_	1	((hash\$6 with code) with (byte near2	USPAT;	2003/12/19 11:34
		code) same java)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1	l .		IBM_TDB	1